

SEMİ MİKRO TERAZİLER 0,01 mg / 0,00001 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL.SİST.
ES 125 SM	125 gr	0,01 mg	Ø 80	OTO.
ES 225 SM-DR	102 / 225 gr	0,01 / 0,1 mg	Ø 80	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL.SİST.
EP 125 SM	125 gr	0,1 mg	Ø 80	EXT.
EP 225 SM-DR	102 / 225 gr	0,01 / 0,1 mg	Ø 80	OTO.



NEM TAYİN CİHAZLARI

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XM 50 Halogen/ Infrared/Dark	60 gr	1 mg / % 0,01 30 - 170 °C	Ø 100	EXT.
XM 60 Halogen/ Infrared/Dark	124 gr	1 mg / % 0,01 30 - 230 °C	Ø 100	EXT.
XM 60 HR Halogen/ Infrared/Dark	124 gr	0,1 mg % 0,001 30 - 230 °C	Ø 100	EXT.
XM 66 Halogen/ Infrared/Dark Atık Su Tayinleri	310 gr	1 mg / % 0,01 30 - 230 °C	Ø 100	EXT.
EM 120 HR Halogen/ Infrared/Dark	124 gr	0,1 mg % 0,001 30 - 230 °C	Ø 100	EXT.



ANALİTİK TERAZİLER 0,1 mg / 0,0001 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XB 220 A	220 gr	0,1 mg	Ø 80	EXT.
XB 220 A SCS	220 gr	0,1 mg	Ø 80	OTO.
XB 220 A Textile	220 gr	0,1 mg	Ø 80	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LS 220 A	220 gr	0,1 mg	Ø 80	OTO.
LS 320 A	320 gr	0,1 mg	Ø 80	OTO.
LS 220 A SCS	220 gr	0,1 mg	Ø 80	OTO.
LS 320 A SCS	320 gr	0,1 mg	Ø 80	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LX 220 A	220 gr	0,1 mg	Ø 90	OTO.
LX 320 A	320 gr	0,1 mg	Ø 90	OTO.
LX 220 A SCS	220 gr	0,1 mg	Ø 90	OTO.
LX 320 A SCS	320 gr	0,1 mg	Ø 90	OTO.

Dokunmatik Ekran



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ES 220 A	220 gr	0,1 mg	Ø 90	OTO.
ES 320 A	320 gr	0,1 mg	Ø 90	OTO.
ES 420 A	420 gr	0,1 mg	Ø 90	OTO.
ES 520 A	520 gr	0,1 mg	Ø 90	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EP 220 A	220 gr	0,1 mg	Ø 90	OTO.
EP 320 A	320 gr	0,1 mg	Ø 90	OTO.
EP 420 A	420 gr	0,1 mg	Ø 90	OTO.
EP 520 A	520 gr	0,1 mg	Ø 90	OTO.



ANALİTİK TERAZİLER 1 mg / 0,001 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XB 320 M	320 gr	1 mg	135 x 135	EXT.
XB 320 M SCS	320 gr	1 mg	135 x 135	OTO.
XB 620 M	620 gr	1 mg	135 x 135	EXT.
XB 620 M SCS	620 gr	1 mg	135 x 135	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LS 320 M	320 gr	1 mg	135 x 135	EXT.
LS 320 M SCS	320 gr	1 mg	135 x 135	OTO.
LS 620 M	620 gr	1 mg	135 x 135	EXT.
LS 620 M SCS	620 gr	1 mg	135 x 135	OTO.
LS 920 M	920 gr	1 mg	135 x 135	EXT.
LS 920 M SCS	920 gr	1 mg	135 x 135	OTO.
LS 1220 M	1220 gr	1 mg	135 x 135	EXT.
LS 1220 M SCS	1220 gr	1 mg	135 x 135	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LX 320 M	320 gr	1 mg	135 x 135	EXT.
LX 320 M SCS	320 gr	1 mg	135 x 135	OTO.
LX 620 M	620 gr	1 mg	135 x 135	EXT.
LX 620 M SCS	620 gr	1 mg	135 x 135	OTO.
LX 920 M	920 gr	1 mg	135 x 135	EXT.
LX 920 M SCS	920 gr	1 mg	135 x 135	OTO.
LX 1220 M	1220 gr	1 mg	135 x 135	EXT.
LX 1220 M SCS	1220 gr	1 mg	135 x 135	OTO.

DOKUNMATİK EKİRAN



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ES 320 M	320 gr	1 mg	135 x 135	OTO.
ES 620 M	620 gr	1 mg	135 x 135	OTO.
ES 920 M	920 gr	1 mg	135 x 135	OTO.
ES 1220 M	1220 gr	1 mg	135 x 135	OTO.
ES 2220 M	2220 gr	1 mg	135 x 135	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EP 320 M	320 gr	1 mg	135 x 135	OTO.
EP 620 M	620 gr	1 mg	135 x 135	OTO.
EP 920 M	920 gr	1 mg	135 x 135	OTO.
EP 1220 M	1220 gr	1 mg	135 x 135	OTO.
EP 2220 M	2220 gr	1 mg	135 x 135	OTO.



HASSAS TERAZİLER 10 mg / 0,01 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XB 2200 C	2200 gr	0,01 gr	170 x 170 EXT.	
XB 2200 C SCS	2200 gr	0,01 gr	170 x 170 OTO.	
XB 3200 C	3200 gr	0,01 gr	170 x 170 EXT.	
XB 3200 C SCS	3200 gr	0,01 gr	170 x 170 OTO.	
XB 4200 C	4200 gr	0,01 gr	170 x 170 EXT.	
XB 4200 C SCS	4200 gr	0,01 gr	170 x 170 OTO.	
XB 6200 C	6200 gr	0,01 gr	170 x 170 EXT.	
XB 6200 C SCS	6200 gr	0,01 gr	170 x 170 OTO.	



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LS 320 C	320 gr	0,01 gr	200 x 200 EXT.	
LS 320 C SCS	320 gr	0,01 gr	200 x 200 OTO.	
LS 620 C	620 gr	0,01 gr	200 x 200 EXT.	
LS 620 C SCS	620 gr	0,01 gr	200 x 200 OTO.	
LS 3200 C	3200 gr	0,01 gr	200 x 200 EXT.	
LS 3200 C SCS	3200 gr	0,01 gr	200 x 200 OTO.	
LS 4200 C	4200 gr	0,01 gr	200 x 200 EXT.	
LS 4200 C SCS	4200 gr	0,01 gr	200 x 200 OTO.	
LS 6200 C	6200 gr	0,01 gr	200 x 200 EXT.	
LS 6200 C SCS	6200 gr	0,01 gr	200 x 200 OTO.	



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LX 620 C	620 gr	0,01 gr	200 x 200 EXT.	
LX 620 C SCS	620 gr	0,01 gr	200 x 200 OTO.	
LX 1200 C	1200 gr	0,01 gr	200 x 200 EXT.	
LX 1200 C SCS	1200 gr	0,01 gr	200 x 200 OTO.	
LX 2200 C	2200 gr	0,01 gr	200 x 200 EXT.	
LX 2200 C SCS	2200 gr	0,01 gr	200 x 200 OTO.	
LX 4200 C	4200 gr	0,01 gr	200 x 200 EXT.	
LX 4200 C SCS	4200 gr	0,01 gr	200 x 200 OTO.	
LX 6200 C	6200 gr	0,01 gr	200 x 200 EXT.	
LX 6200 C SCS	6200 gr	0,01 gr	200 x 200 OTO.	

DOKUNMATİK EKРАН



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ES 1200 C	1200 gr	0,01 gr	200 x 200 OTO.	
ES 2200 C	2200 gr	0,01 gr	200 x 200 OTO.	
ES 4200 C	4200 gr	0,01 gr	200 x 200 OTO.	
ES 6200 C	6200 gr	0,01 gr	200 x 200 OTO.	
ES 8200 C	8200 gr	0,01 gr	200 x 200 OTO.	



HASSAS TERAZİLER 100 mg / 0,1 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XB 3200 D	3200 gr	0,1 gr	200 x 200	EXT.
XB 6200 D	6200 gr	0,1 gr	200 x 200	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LS 3200 D	3200 gr	0,1 gr	200 x 200	EXT.
LS 3200 D SCS	3200 gr	0,1 gr	200 x 200	OTO.
LS 6200 D	6200 gr	0,1 gr	200 x 200	EXT.
LS 6200 D SCS	6200 gr	0,1 gr	200 x 200	OTO.
LS 10200 D	10200 gr	0,1 gr	200 x 200	EXT.
LS 10200 D SCS	10200 gr	0,1 gr	200 x 200	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
LX 3200 D	3200 gr	0,1 gr	200 x 200	EXT.
LX 3200 D SCS	3200 gr	0,1 gr	200 x 200	OTO.
LX 6200 D	6200 gr	0,1 gr	200 x 200	EXT.
LX 6200 D SCS	6200 gr	0,1 gr	200 x 200	OTO.
LX 10200 D	10200 gr	0,1 gr	200 x 200	EXT.
LX 10200 D SCS	10200 gr	0,1 gr	200 x 200	OTO.

DOKUNMATİK EKREN



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
ES 6200 D	6200 gr	0,1 gr	200 x 200	OTO.
ES 8200 D	8200 gr	0,1 gr	200 x 200	OTO.
ES 12200 D	12200 gr	0,1 gr	200 x 200	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
EP 6200 D	6200 gr	0,1 gr	200 x 200	OTO.
EP 8200 D	8200 gr	0,1 gr	200 x 200	OTO.
EP 12200 D	12200 gr	0,1 gr	200 x 200	OTO.



ENDÜSTRİYEL TERAZİLER 1 gr

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SIST.
LS 10200 G	10200 gr	1 gr	200 x 200 EXT.	
LS 10200 G SCS	10200 gr	1 gr	200 x 200 OTO.	



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SIST.
LX 10200 G	10200 gr	1 gr	200 x 200 EXT.	
LX 10200 G SCS	10200 gr	1 gr	200 x 200 OTO.	

DOKUNMATİK EKREN



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SIST.
ES 12200 G	12200 gr	1 gr	200 x 200 OTO.	



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SIST.
EP 12200 G	12200 gr	1 gr	200 x 200 OTO.	



BJ SERİLERİ-IBK SERİLERİ-BC SERİLERİ

MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
BJ 100 M	100 gr	1 mg	Ø 100	EXT.
BJ 610 C	610 gr	0,01 gr	135 x 135	EXT.
BJ 1000 C	1000 gr	0,01 gr	135 x 135	EXT.
BJ 1200 C	1200 gr	0,01 gr	135 x 135	EXT.
BJ 2200 C	2200 gr	0,01 gr	135 x 135	EXT.
BJ 2100 D	2100 gr	0,1 gr	170 x 140	EXT.
BJ 4100 D	4100 gr	0,1 gr	170 x 140	EXT.
BJ 6100 D	6100 gr	0,1 gr	170 x 140	EXT.
BJ 8100 D	8100 gr	0,1 gr	170 x 140	EXT.
BJ 6100 G	6100 gr	1 gr	170 x 140	EXT.
BJ 12100 G	12100 gr	1 gr	170 x 140	EXT.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
BC 220 M	220 gr	1 mg	Ø 90	EXT.
BC 220 M IC	220 gr	1 mg	Ø 90	OTO.
BC 3200 C	3200 gr	0,01 gr	180 x 160	EXT.
BC 3200 C IC	3200 gr	0,01 gr	180 x 160	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
IBK 12000 D	12100 gr	0,1 gr	400 x 300	OTO.
IBK 18000 D	18100 gr	0,1 gr	400 x 300	OTO.
IBK 24000 D	24100 gr	0,1 gr	400 x 300	OTO.
IBK 34000 D	34100 gr	0,1 gr	400 x 300	OTO.
IBK 20000 G	20100 gr	1 gr	400 x 300	OTO.
IBK 30000 G	30100 gr	1 gr	400 x 300	OTO.
IBK 40000 G	40100 gr	1 gr	400 x 300	OTO.
IBK 60000 G	60100 gr	1 gr	400 x 300	OTO.



MODEL	KAPASİTE	HASSASİYET	KEFE	KAL. SİST.
XB 220 A TEX	220 gr	0,1 mg	Ø 80	OTO.
XB 320 M TEX	320 gr	1 mg	135 x 135	EXT.
XB 620 M TEX	620 gr	1 mg	135 x 135	EXT.

İpliik numarasını ; TEX , DEN ,NM ,NE cinsinden ölçer.

